

Tel: 95 1 533085  
Fax: 95 1 533085  
AFTN: VYYYYOYX  
eMail: aiso@ais.gov.mm

Department of Civil Aviation  
**International NOTAM Office**  
ATC Operations Building  
Yangon International Airport  
Mingaladon, Yangon 11021  
**M Y A N M A R**

**Monthly Check  
NOTAM SUMMARY**

**6/10  
1 June 2010**

**MONTHLY SUMMARY OF NOTAM SERIES ( ALPHA ) AND ( BRAVO )**

The following NOTAM "A" and "B" Series were still in force at 0001 UTC on 1<sup>st</sup> June, 2010. NOTAM not included, have either been cancelled or superseded by AIP Supplement or incorporated in the AIP Myanmar-Third Edition.

**YANGON FIR (VYFF)**

**A0048/ B0050**      **01-05-10**      **WEF 1005010001 / PERM**      **LANDING CLEARANCE**  
PURSUANT TO AIP MYANMAR GEN 1.2 THE FLW REQUIREMENTS THAT AIRLINE OPERATORS (NON-SCHEDULE) ARE TO COMPLY IN OBTAINING LANDING CLEARANCE FOR MYANMAR:-

- aa) REQUEST FOR FIXED-WING ACFT LANDING AT YANGON, MANDALAY, NAYPYITAW AND C.I.O AERODROMES MAY BE IN ADVANCE OF 7 DAYS REGARDLESS THE STATUS OF OVERNIGHT
- bb) REQUEST FOR FIX-WING ACFT LANDING AT PUBLIC AERODROMES OTHER THAN THOSE SPECIFIC IN aa) MAY BE IN ADVANCE OF 14 DAYS REGARDLESS THE STATUS OF OVERNIGHT
- cc) REQUEST FOR HELICOPTER LANDING AT ANY PUBLIC AERODROMES MAY BE IN ADVANCE OF 14 DAYS REGARDLESS THE STATUS OF OVERNIGHT
- dd) REQUIREMENT FOR APPLICATION PUBLISHED IN AIP MYANMAR GEN 1.2 REMAINS UNCHANGED.

**A0049/ B0051**      **02-05-10**      **WEF 1005010001 / PERM**      **GROUND HANDLING SERVICE**  
DEPARTMENT OF CIVIL AVIATION REDUCES 10% ON IT GROUND HANDLING SERVICE CHARGES LEVIED AT MANDALAY INTERNATIONAL AIRPORT.

**A0050/ B0052**      **02-05-10**      **WEF 1005010001 / PERM**      **ARRIVAL VISA COUNTER**  
ON ARRIVAL VISA COUNTER AREA ASSIGNED AT YANGON INTERNATIONAL AIRPORT, MANDALAY INTERNATIONAL AIRPORT, AND NAYPYITAW AIRPORT TERMINALS.

**A0051/ B0053**      **05-05-10**      **WEF 1005050001 / PERM**      **NIGHT LANDING FACILITIES**  
THE FLW AIRPORTS HAVE/DO NOT HAVE THE NIGHT LANDING FACILITIES:-  
aa) AIRPORTS WITH NIGHT LANDING FAC ARE  
VYBG, VYHH, VYMD, VYMM, VYMK, VYSW, VYTD, VYYY  
bb) AIRPORTS WITHOUT NIGHT LANDING FAC ARE  
VYAN, VYBM, VYBP, VYHL, VYKI, VYKP, VYKL, VYKT, VYLS, VYME,  
VYMS, VYMW, VYMY, VYPA, VYPN, VYPP, VYPT, VYTL  
cc) AIRPORT WITH SVC VOR/DME  
VYCZ, VYDW, VYLS, VYMD, VYNT, VYPN, VYTO, VYYY.

**YANGON (VYYY)**

**A0021/ B0033**      **14-03-06**      **WEF 0603140001 / PERM**      **NDB WITHDRAWN**  
NDB CODING "MDN" ON 204 kHz COMPLETELY WITHDRAWN.

**A0020/ B0021**      **08-03-10**      **WEF 1003080001 / 1006072359EST**      **RWY WIP**  
PAPI ON RIGHT SIDE OF RWY 21 TEMP WITHDRAWN DUE EXTENSION OF RWY LGT SYSTEM WIP. ONLY PAPI ON THE LEFT SIDE OF 21 AVBL.

**A0027/ B0029**      **11-03-10**      **WEF 1003110001 / 1006102359 EST**      **RWY WIP**  
RWY 03 P-TURN (500 x 100) AND OVER RUN AREA (200 x 200) WIP.

**A0044/ B0045**      **22-04-10**      **WEF 1004221130 / 1006302359**      **AIP HAND AMDT**  
REF AIP AMDT 2/10 ENR 3.3-2 RNAV ROUTES HAND AMDT M707 TO READ AS M770.

**A0056/ B0058**      **24-05-10**      **WEF 1005250130 / 1008242230EST**      **RWY WIP**  
DLY 0130 TO 1030, 1430 TO 2230,  
YANGON AD EARTH FILLING FOR SOIL EROSION RWY 21 WIP BTN RWY AND TAXIWAY PILOTS ECL/ECT.

**A0059/ B0061**      **31-05-10**      **WEF 1005310001 / 1008302359 EST**      **RWY WIP**  
YANGON AD EARTH FILLING WIP 400FT FM RWY 21 STOPWAY PILOTS ECL/ECT.

**BAGAN (VYBG)**

**A0025/ B0035**      **05-05-05**      **WEF 0505050555 / PERM**      **VIEW POINT TOWER**  
A VIEW POINT TWR IS CONSTRUCTED NEAR BAGAN/NYAUNG U AD AS PER THE FLW:-  
1) COORD      N211014.6E0945421.6  
2) BEARING      265 DEG FM ARP  
3) HEIGHT      198 FT  
4) FOOT ELEV      340 FT  
5) DISTANCE      2 NM FM AD  
RMK:      PILOT TO ECL/ECT AND TO TAKE EXTREME CAUTION WHILE EXECUTING MISSED APCH.

**A0021/ B0023      10-03-10      WEF 1003100001 / PERM      UPDATE INFO**

BAGAN (VYBG) AD UPDATE INFO AS FLW:

A) ARP COORD      211044.28N0945549.27E  
 B) RWY DIMENSION      8500 FT x 100 FT  
 C) RWY STRENGTH      150000 LBS.  
 D) APRON AREA      900 FT x 225 FT  
 E) RWY DESIGNATOR      18/36  
 F) RWY DIRECTION      180°/360°  
 G) RWY SFC      ASPHALT CONCRETE.  
 H)AD ELEV      109.27M

**DAWEI (VYDW)****A0022/ B0024      10-03-10      WEF 1003100001 / PERM      NEW RWY INFO**

DAWEI(VYDW) AD UPDATE INFO AS FLW:

A) ARP COORD      140550.55N0981224.18E  
 B) RWY DIMENSION      12000 FT x 100 FT  
 C) RWY STRENGTH      873000 LBS.  
 D) APRON AREA      600 FT x 400 FT  
 E) RWY DESIGNATOR      16/34  
 F) RWY DIRECTION      157°/337°  
 G) RWY SFC      CONCRETE.  
 H) AD ELEV      25.59M

**HEHO (VYHH)****B0072      08-09-04      WEF 0409080534 / UFN      JET A1 FUEL**

JET A1 FUEL AVBL BTN 0030 AND 1130 DLY.

**A0023/ B0025      10-03-10      WEF 1003100001 / PERM      UPDATE INFO**

HEHO (VYHH) AD UP DATE INFO AS FLW:

A) ARP COORD      204449.36N0964731.28E  
 B) RWY DIMENSION      8500 FT x 100 FT  
 C) RWY STRENGTH      150000 LBS.  
 D) APRON AREA      720FT x 250 FT  
 E) RWY DESIGNATOR      18/36  
 F) RWY DIRECTION      181°/001°  
 G) RWY SFC      ASPHALT CONCRETE.  
 H) AD ELEV      1199.18M

**MANDALAY (VYMD)****A0019/ B0020      04-03-10      WEF 1003040001 / 1006032359EST      ILS U/S**

MIA ILS (GP AND TOUCH DOWN DME) U/S DUE TECR.

**A0024/ B0026      10-03-10      WEF 1003100001 / PERM      UPDATE INFO**

MANDALAY INTL AP UPDATE INFO AS FLW:-

A) ARP COORD      214133.83N0955838.84E  
 B) RWY DIMENSION      14000 FT x 200 FT  
 C) RWY STRENGTH      PCN 55 R/A/W/T  
 D) APRON AREA      2000 FT x 800 FT  
 E) RWY DESIGNATOR      17/35  
 F) RWY DIRECTION      171°/351°  
 G) RWY SFC      CONCRETE  
 H) AD ELEV      91.6M.

**A0026/ B0028      11-03-10      WEF 1003110001 / 1006102359EST      HIGH-TENSION**

HIGH-TENSION WIRE MASTSERECTED IN RWY 17. APP SEGMENT, BTN BRG 349 / 001, DIST 2.0 TO 2.8NM FROM THR RWY 17 AND OBST HGT 124FT TO 154FT.

**NAYPYITAW (VYNT)****B0071      10-08-07      WEF 0708100001 / PERM      VOR / DME**

DVOR / DME AND ILS (CAT-I) HAS BEEN INSTALLED AT NAYPYITAW AP AND AVAILIABLE ON TESTBASIS AS PER THE FLW INFO.

aa) ILS, I-NPT LOC 110.1 MHz, GP/DME 334.4 MHz 38X, (CAT-I) RWY 16

bb) DVOR / DME, NPT 113.7 MHz 84X

RMK/ TECHNICAL DESCRIPTION AND CHARTS WILL FOLLOW IN DUE COURSE.

**A0025/ B0027      10-03-10      WEF 1003080001 / PERM      UPDATE INFO**

NAYPYITAW AP UPDATE INFO AS FLW:-

A) ARP COORD      193724.78N0961203.60E  
 B) RWY DIMENSION      12000 FT x 200 FT  
 C) RWY STRENGTH      873,000LBS  
 D) RWY DESIGNATOR      16/34  
 E)RWY DIRECTION      158°/338°  
 F) RWY SFC      CONCRETE  
 G) AD ELEV      89.70M

**A0028/ B0030**      **14-03-10**      **WEF 1003140001 / 1006132359EST**      **APRON EXTENSION**  
 NAYPYITAW AD NORTHERN SIDE OF APRON EXTENSION 1200FT x 900FT WIP.

**A0057/ B0059**      **24-05-10**      **WEF 1005240001 / 1005232359EST**      **VOR U/S**  
 NAYPYITAW VOR 113.7MHz U/S DUE TECHNICAL PROBLEM.

**THANDWE (VYTD)**

**A0017/ B0028**      **19-04-05**      **WEF 0506090001 / PERM**      **ATS AIRSPACE**  
 REF AIP MYANMAR VYTD AD 2-17, VYTD ATS AIRSPACE CHANGED AS FLW:-  
 1) DESIGNATION AND LATERAL LIMIT:      25NM RADIUS CENTRED AT ARP  
 2) VER LIMIT:      GND / 6000FT  
 3) ATS UNIT CALL SIGN:      THANDWE TOWER / ENGLISH  
 4) TRANSITION ALT:      6000FT  
 5) SVC DESIGNATION:      AERODROME CONTROL / THANDWE TOWER  
 6) FREQ:      118.7 MHz  
 7) OPS HR:      HO

-----

NOTAM INCORPORATED INTO AIP SUP2001	A0024, A0026	2006	A0023, A0025, A0045,
2002	A0013		A0054, A0056
2003	A0034, A0036, A0043	2007	A0025, A0027, A0029,
2004	A007, A0023, A0054, A0072,		A0030, A0031, A0070
	A0079, A0080, A0084, A0093	2008	A0074, A0101, A0114
2005	A0002, A0075	2009	A0016, A0095

LIST OF AIP (3rd Edition) AMENDMENT	1/10	Dated:	1 JAN 10 NIL
	2/10	Dated:	1 APR 10

LATEST AIC ISSUED:	06/09	Dated:	1 DEC 09
--------------------	-------	--------	----------

CURRENT AIP SUPPLEMENT:	2002	05	2007	02, 03
	2003	01	2008	01
	2004	05, 06, 10, 12, 16, 17, 19, 20, 21	2009	02, 03, 04, 05, 06, 07, 08, 09,10, 11,
	2005	02, 03		12, 13, 15, 18, 23, 31